

Slim Line SLR & SLS





Acoustic Ceiling

2x4 fixtures drop into existing ceiling tiles and provide more lumens per watt than fluorescent tubes. LED fixtures contain no harmful chemicals.



Life Expectancy

LED lights last over 10 years when utilized for 12 hours a day, every day of the year.



Even Lighting

LED panel lights provide even lighting with no hot spots or dark spots. Focus light where you need it.



Suspended Panels

LED lighting can be used to create bright environments with modern style.

SLR



SLR - 8



SLR - 4



SLR - 6



SLR - 10




Specifications:

	Power	Voltage Input	Luminous Flux*	Angle		Warm	Natural	Cool
SLR - 4	7.4 Watts	12 Volt DC	218 Lumens	107°		3000K	4000K	6000K
<i>4" Opening, 4-3/4" Finished Trim, 1/2" Depth</i>								
SLR - 6	11.5 Watts	12 Volt DC	424 Lumens	106°		3000K	4000K	6000K
<i>6" Opening, 6-3/4" Finished Trim, 1/2" Depth</i>								
SLR - 8	18 Watts	12 Volt DC	594 Lumens	107°		3000K	4000K	6000K
<i>8" Opening, 8-3/4" Finished Trim, 1/2" Depth</i>								
SLR - 10	22 Watts	12 Volt DC	735 Lumens	109°		3000K	4000K	6000K
<i>9-3/4" Opening, 10-5/8" Finished Trim, 1/2" Depth</i>								

*Based on 6500K

SLS



Specifications:

	Power	Voltage Input	Luminous Flux*	Angle		Warm	Natural	Cool
SLS - 1x1	17 Watts	12 Volt DC	680 Lumens	110°		3000K	4000K	6000K
<i>11-13/16" x 11-13/16" Finished Trim, 1/2" Depth</i>								
SLS - 1x3	37 Watts	12 Volt DC	1,670 Lumens	109°		3000K	4000K	6000K
<i>11-13/16" x 35-13/16" Finished Trim, 1/2" Depth</i>								
SLS - 2x2	32 Watts	12 Volt DC	1,340 Lumens	110°		3000K	4000K	6000K
<i>23-1/2" x 23-1/2" Finished Trim, 1/2" Depth</i>								
SLS - 2x4	63 Watts	12 Volt DC	2,580 Lumens	111°		3000K	4000K	6000K
<i>47-1/8" x 23-1/2" Finished Trim, 1/2" Depth</i>								

*Based on 6500K

SL Line

Slim Line Round

4 Inch 7.4 Watt. 12vDC 218 NW, WW \$34.50

6 Inch 11.5 Watt. 12vDC 424 NW, WW \$53.25

8 Inch 18 Watt. 12vDC 594 NW, WW \$67.00

10 Inch 22 Watt. 12vDC 735 NW, WW \$93.00

Slim Line Square

1' X 1' 17 Watt. 12vDC 680 NW \$105.00

1' X 3' 37 Watt. 12vDC 1670 NW \$236.00

2' X 2' 32 Watt. 12vDC 1340 NW \$247.00

2' X 4' 32 Watt. 12vDC 2580 NW \$463.00

Power Supplies

Power Supply 30W - 12VDC \$27.00

Power Supply 60W - 12VDC \$39.00

Power Supply 120W - 12VDC \$63.00

Power Supply 200W - 12VDC \$84.00

Dimmers and Connectors will be added soon !!

For control rooms, broadcast booths, studios, mobile trucks and production rooms, there is no better choice; low current draw, NO NOISE to the AC circuit when dimmed, can be dimmed on the A/C side or D/C side with the corresponding psu and produces nearly ZERO radiant heat.

Available from:



<http://dx2broadcast.com>

Contact: info@dx2broadcast.com